

**NOW WITH  
3 YEAR WARRANTY!**



**AQUATIC**

The bath people

ELEMENTS SERIES WHIRLPOOL BATHS

# ALL THE ELEMENTS OF AN INVITING BATH



White



Biscuit



Bone

## PRODUCT BENEFITS

### LUCITE™ CAST ACRYLIC SURFACE

Smooth durable and easy to clean

### 6 DIRECTIONAL HYDROTHERAPY JETS

Provide a relaxing and invigorating experience

### HIGH-PERFORMANCE PUMP

Rated at .75 HP for robust jet action

### PNEUMATIC ON/OFF SWITCH

Allows for convenient control of jets

### ADVANCED SAFETY SUCTION SYSTEM

For total relaxation and peace of mind

### PRE-LEVELED BASE (NON-SKIRTED UNITS ONLY)

Ensures quick and easy installation

### CHOICE OF COLORS

Available in white, biscuit, and bone with color-matched trim

### 3-YEAR LIMITED WARRANTY

For an extra measure of reliability and assurance

# ELEMENTS SERIES

## DROP-IN MODELS



4660620V (Soaker)
4660621V (Whirlpool)
DIMENSIONS 60 X 30 X 20¾
<b>OPTIONS</b>
HEATER (1.5kW in-line, factory installed)
TILING FLANGE (3T or 4T)
60" SKIRT with access panel (60ACSK)



3760620V (Soaker)
3760621V (Whirlpool)
DIMENSIONS 60 X 32 X 20½
<b>OPTIONS</b>
HEATER (1.5kW in-line, factory installed)
TILING FLANGE (3T or 4T)
60" SKIRT with access panel (60ACSK)



4160620V (Soaker)
4160621V (Whirlpool)
DIMENSIONS 60 X 36 X 21½
<b>OPTIONS</b>
HEATER (1.5kW in-line, factory installed)
TILING FLANGE (3T or 4T)
60" SKIRT with access panel (60ACSK)



5660620V (Soaker)
5660621V (Whirlpool)
DIMENSIONS 60 X 42 X 23⅞
<b>OPTIONS</b>
HEATER (1.5kW in-line, factory installed)
TILING FLANGE (3T or 4T)
60" SKIRT with access panel (60ACSK)
ALTERNATE PUMP LOCATION*



6260620V (Soaker)
6260621V (Whirlpool)
DIMENSIONS 60 X 42 X 23½
<b>OPTIONS</b>
HEATER (1.5kW in-line, factory installed)
TILING FLANGE (BT, FT, 4T)
60" SKIRT with access panel (60ACSK)



4272620V (Soaker)
4272621V (Whirlpool)
DIMENSIONS 72 X 36 X 21¾
<b>OPTIONS</b>
HEATER (1.5kW in-line, factory installed)
TILING FLANGE (3T or 4T)
72" SKIRT with access panel (72ACSK)



5772620V (Soaker)
5772621V (Whirlpool)
DIMENSIONS 72 X 42 X 23⅞
<b>OPTIONS</b>
HEATER (1.5kW in-line, factory installed)
Tiling flange (3T or 4T)
72" SKIRT with access panel (72ACSK)
ALTERNATE PUMP LOCATION*



6472620V (Soaker)
6472621V (Whirlpool)
DIMENSIONS 72¼ X 42¼ X 23½
<b>OPTIONS</b>
HEATER (1.5kW in-line, factory installed)
TILING FLANGE (BT, FT, 4T)
72" SKIRT with access panel (72ACSK)



9560620V (Soaker)
9560621V (Whirlpool)
DIMENSIONS 59½ X 59½ X 21½
<b>OPTIONS</b>
HEATER (1.5kW in-line, factory installed)
Tiling flange (2T)
ALTERNATE PUMP LOCATION*



3860620V (Soaker)
3860621V (Whirlpool)
DIMENSIONS 60 X 60 X 22
<b>OPTIONS</b>
HEATER (1.5kW in-line, factory installed)
Tiling flange (2T)
CORNER SKIRT with access panel (6020CSK)
ALTERNATE PUMP LOCATION*

\*Grab bars (integral or bolt-on) not available on Elements models.



8460600V (Soaker)
8460601V (Whirlpool)
DIMENSIONS 57 X 38 X 24
<b>OPTIONS</b>
HEATER (1.5kW in-line, factory installed)



3960620V (Soaker)
3960621V (Whirlpool)
DIMENSIONS 59 <sup>1</sup> / <sub>8</sub> X 40 <sup>3</sup> / <sub>16</sub> X 23 <sup>7</sup> / <sub>8</sub>
<b>OPTIONS</b>
HEATER (1.5kW in-line, factory installed)



2860420V (Soaker)
2860421V (Whirlpool)
DIMENSIONS 60 X 42 X 20 <sup>3</sup> / <sub>8</sub>
<b>OPTIONS</b>
HEATER (1.5kW in-line, factory installed)



4072620V (Soaker)
4072621V (Whirlpool)
DIMENSIONS 71 X 41 <sup>1</sup> / <sub>4</sub> X 23 <sup>3</sup> / <sub>8</sub>
<b>OPTIONS</b>
HEATER (1.5kW in-line, factory installed)

## SKIRTED MODELS



7160620V (Soaker)
7160621V (Whirlpool)
DIMENSIONS 60 X 31 <sup>1</sup> / <sub>4</sub> X 20 <sup>1</sup> / <sub>4</sub>
<b>OPTIONS</b>
LH/RH Drain*
HEATER (1.5kW in-line, factory installed)



7460620V (Soaker)
7460621V (Whirlpool)
DIMENSIONS 60 X 33 <sup>1</sup> / <sub>4</sub> X 20 <sup>1</sup> / <sub>4</sub>
<b>OPTIONS</b>
LH/RH Drain*
HEATER (1.5kW in-line, factory installed)



7660620V (Soaker)
7660621V (Whirlpool)
DIMENSIONS 60 X 37 <sup>1</sup> / <sub>4</sub> X 20 <sup>1</sup> / <sub>4</sub>
<b>OPTIONS</b>
LH/RH Drain*
HEATER (1.5kW in-line, factory installed)



7872620V (Soaker)
7872621V (Whirlpool)
DIMENSIONS 72 X 37 <sup>1</sup> / <sub>4</sub> X 20 <sup>1</sup> / <sub>4</sub>
<b>OPTIONS</b>
LH/RH Drain*
HEATER (1.5kW in-line, factory installed)

\*Reference technical data for pump locations

## SKIRTED MODELS, CONT.

---



7260420V (Soaker)

7260421V (Whirlpool)

DIMENSIONS 60 X 43¼ X 20¼

**OPTIONS**

LH/RH Drain\*

HEATER (1.5kW in-line, factory installed)



8072620V (Soaker)

8072621V (Whirlpool)

DIMENSIONS 72 X 42 X 19

**OPTIONS**

LH/RH Drain\*

HEATER (1.5kW in-line, factory installed)



8260620V (Soaker)

8260621V (Whirlpool)

DIMENSIONS 60½ X 60¼ X 23¼

**OPTIONS**

HEATER (1.5kW in-line, factory installed)



Skirted whirlpool models feature two (2) access panels.



# AQUATIC

The bath people

8101 E. Kaiser Blvd., Suite 200 • Anaheim, CA 92808

800.945.2726 • fax 866.544.5353

[www.aquaticbath.com](http://www.aquaticbath.com)