

**NOW WITH
3 YEAR WARRANTY!**



AQUATIC

The bath people

ELEMENTS SERIES WHIRLPOOL BATHS

ALL THE ELEMENTS OF AN INVITING BATH



White



Biscuit



Bone

PRODUCT BENEFITS

LUCITE™ CAST ACRYLIC SURFACE

Smooth durable and easy to clean

6 DIRECTIONAL HYDROTHERAPY JETS

Provide a relaxing and invigorating experience

HIGH-PERFORMANCE PUMP

Rated at .75 HP for robust jet action

PNEUMATIC ON/OFF SWITCH

Allows for convenient control of jets

ADVANCED SAFETY SUCTION SYSTEM

For total relaxation and peace of mind

PRE-LEVELED BASE (NON-SKIRTED UNITS ONLY)

Ensures quick and easy installation

CHOICE OF COLORS

Available in white, biscuit, and bone with color-matched trim

3-YEAR LIMITED WARRANTY

For an extra measure of reliability and assurance

ELEMENTS SERIES

DROP-IN MODELS



4660620V (Soaker)
4660621V (Whirlpool)
DIMENSIONS 60 X 30 X 20 ³ / ₄
OPTIONS
HEATER (1.5kW in-line, factory installed)
TILING FLANGE (3T or 4T)
60" SKIRT with access panel (60ACSK)



3760620V (Soaker)
3760621V (Whirlpool)
DIMENSIONS 60 X 32 X 20 ¹ / ₂
OPTIONS
HEATER (1.5kW in-line, factory installed)
TILING FLANGE (3T or 4T)
60" SKIRT with access panel (60ACSK)



4160620V (Soaker)
4160621V (Whirlpool)
DIMENSIONS 60 X 36 X 21 ¹ / ₂
OPTIONS
HEATER (1.5kW in-line, factory installed)
TILING FLANGE (3T or 4T)
60" SKIRT with access panel (60ACSK)



5660620V (Soaker)
5660621V (Whirlpool)
DIMENSIONS 60 X 42 X 23 ⁷ / ₈
OPTIONS
HEATER (1.5kW in-line, factory installed)
TILING FLANGE (3T or 4T)
60" SKIRT with access panel (60ACSK)
ALTERNATE PUMP LOCATION*



6260620V (Soaker)
6260621V (Whirlpool)
DIMENSIONS 60 X 42 X 23 ¹ / ₂
OPTIONS
HEATER (1.5kW in-line, factory installed)
TILING FLANGE (BT, FT, 4T)
60" SKIRT with access panel (60ACSK)



4272620V (Soaker)
4272621V (Whirlpool)
DIMENSIONS 72 X 36 X 21 ³ / ₄
OPTIONS
HEATER (1.5kW in-line, factory installed)
TILING FLANGE (3T or 4T)
72" SKIRT with access panel (72ACSK)



5772620V (Soaker)
5772621V (Whirlpool)
DIMENSIONS 72 X 42 X 23 ⁷ / ₈
OPTIONS
HEATER (1.5kW in-line, factory installed)
Tiling flange (3T or 4T)
72" SKIRT with access panel (72ACSK)
ALTERNATE PUMP LOCATION*



6472620V (Soaker)
6472621V (Whirlpool)
DIMENSIONS 72 ¹ / ₄ X 42 ¹ / ₄ X 23 ¹ / ₂
OPTIONS
HEATER (1.5kW in-line, factory installed)
TILING FLANGE (BT, FT, 4T)
72" SKIRT with access panel (72ACSK)



9560620V (Soaker)
9560621V (Whirlpool)
DIMENSIONS 59 ¹ / ₂ X 59 ¹ / ₂ X 21 ¹ / ₂
OPTIONS
HEATER (1.5kW in-line, factory installed)
Tiling flange (2T)
ALTERNATE PUMP LOCATION*



3860620V (Soaker)
3860621V (Whirlpool)
DIMENSIONS 60 X 60 X 22
OPTIONS
HEATER (1.5kW in-line, factory installed)
Tiling flange (2T)
CORNER SKIRT with access panel (6020CSK)
ALTERNATE PUMP LOCATION*

*Grab bars (integral or bolt-on) not available on Elements models.



8460600V (Soaker)
8460601V (Whirlpool)
DIMENSIONS 57 X 38 X 24
OPTIONS
HEATER (1.5kW in-line, factory installed)



3960620V (Soaker)
3960621V (Whirlpool)
DIMENSIONS 59 ¹ / ₈ X 40 ³ / ₁₆ X 23 ⁷ / ₈
OPTIONS
HEATER (1.5kW in-line, factory installed)



2860420V (Soaker)
2860421V (Whirlpool)
DIMENSIONS 60 X 42 X 20 ³ / ₈
OPTIONS
HEATER (1.5kW in-line, factory installed)



4072620V (Soaker)
4072621V (Whirlpool)
DIMENSIONS 71 X 41 ¹ / ₄ X 23 ³ / ₈
OPTIONS
HEATER (1.5kW in-line, factory installed)

SKIRTED MODELS



7160620V (Soaker)
7160621V (Whirlpool)
DIMENSIONS 60 X 31 ¹ / ₄ X 20 ¹ / ₄
OPTIONS
LH/RH Drain*
HEATER (1.5kW in-line, factory installed)



7460620V (Soaker)
7460621V (Whirlpool)
DIMENSIONS 60 X 33 ¹ / ₄ X 20 ¹ / ₄
OPTIONS
LH/RH Drain*
HEATER (1.5kW in-line, factory installed)



7660620V (Soaker)
7660621V (Whirlpool)
DIMENSIONS 60 X 37 ¹ / ₄ X 20 ¹ / ₄
OPTIONS
LH/RH Drain*
HEATER (1.5kW in-line, factory installed)



7872620V (Soaker)
7872621V (Whirlpool)
DIMENSIONS 72 X 37 ¹ / ₄ X 20 ¹ / ₄
OPTIONS
LH/RH Drain*
HEATER (1.5kW in-line, factory installed)

*Reference technical data for pump locations

SKIRTED MODELS, CONT.



7260420V (Soaker)

7260421V (Whirlpool)

DIMENSIONS 60 X 43¼ X 20¼

OPTIONS

LH/RH Drain*

HEATER (1.5kW in-line, factory installed)



8072620V (Soaker)

8072621V (Whirlpool)

DIMENSIONS 72 X 42 X 19

OPTIONS

LH/RH Drain*

HEATER (1.5kW in-line, factory installed)



8260620V (Soaker)

8260621V (Whirlpool)

DIMENSIONS 60½ X 60¼ X 23¼

OPTIONS

HEATER (1.5kW in-line, factory installed)



Skirted whirlpool models feature two (2) access panels.



AQUATIC

The bath people

8101 E. Kaiser Blvd., Suite 200 • Anaheim, CA 92808

800.945.2726 • fax 866.544.5353

www.aquaticbath.com