



AQUATIC

The bath people

# ACCESSIBLE & CODE COMPLIANT

Residential, Accessible, & Aging-In-Place  
Commercial and Code Compliant  
Bathing Collection



[AQUATICBATH.COM](http://AQUATICBATH.COM)

# THE POSSIBILITIES ARE WIDE OPEN.

Aquatic accessible bath products break barriers—not only in terms of how they can be used, but also in how they look and how they can be customized to fit specific applications. Our selection includes ADA- and ANSI-compliant showers and tub-showers, along with a variety of universal design products.



Hospitals



Senior Living  
Communities



Hotels



Colleges and  
Universities



Military Bases



Apartment  
Complexes

## BUILDING A BETTER BATHWARE INDUSTRY

Aquatic is at the forefront of design and engineering innovation and our expertise is reflected in a growing range of applications for our products. Our best-selling accessible line is popular with hospitals, retirement and assisted-living facilities, hotels, educational institutions, military bases and multifamily housing developments.

On cover: 1603BFSTD

# SEAMLESS SERVICE AND SUPPORT

When you partner with Aquatic, we go the extra mile to earn your continued business with service and support that are both consistent and convenient.

---

## Ready To Deliver

With more plants nationwide than any other bath manufacturer in the industry, we are well positioned to deliver. Our distribution network and fleet of trucks ensure products are always delivered on time.

## Responsive Customer Service

Place orders, inquire about products and get answers to technical questions using our convenient toll-free number, 800.945.2726.

## Localized Technical Support

Our dedicated field representatives across the U.S. are at your service, whenever you need assistance.

## Detailed Submittal Pieces


Comprehensive submittal documents ensure we build the right products, in the right configurations, for each of your projects.



3636BFSC

# 36" TRANSFER SHOWERS

These quality products are designed to comfortably accommodate walking up or transferring from wheelchair to seat. Applicable for many commercial applications, they meet ADA/ANSI guidelines when barrier-free and properly installed.




## PRODUCT BENEFITS


- 1 CHOICE OF SURFACE MATERIALS**  
Available in premium cast acrylic and AcrylX™ applied acrylic finishes
- 2 SEAMLESS AND SECTIONAL OPTIONS**  
Available in one-, two- and four-piece configurations
- 3 FLANGE OPTIONS** Multiple flange configurations to accommodate individual design needs
- 4 FACTORY-INSTALLED ACCESSORIES**  
Can be pre-configured for ADA, ANSI or local code compliance, or customized with an array of grab bar sizes and other accessories
- 5 36" INTERIOR** Conforms to ADA/ANSI guidelines for transfer showers. Please Note: Transfer showers with straight flanges are no longer ADA compliant.

# DAM PROFILES


MODEL: **1363BFSD**




MODEL: **F1364P**




MODEL: **1363BFRF, 1363BFSC, 1363BFSCMA, 1363BFSCCN, 1363BFSCST, 1363BFSCSTMA, 1363BFC2P, 1363BFC2PMA**



MODEL: **1363BFS, 1363BFSMA, 1363BFSCN, 3636BFS, 3636BFSMA**



MODEL: **3636BFSC, 3636BFSCMA**



MODEL: **1363EN**



# 36" SHOWER SPECIFICATIONS

MODEL VARIATIONS: (MA) - 521 CMR (CN) - Canada Standards Association

MODEL (Variations)	<b>1363BFS</b>
DIMENSIONS	36 x 36 x 74 1/8 int., 38 x 38 1/4 x 77 1/8 ext.
MATERIAL & FINISH	ACRYLX™, SMOOTH
# OF PIECES	1
ACCESSIBLE	
BASE	STANDARD

MODEL (Variations)	<b>1363BFC2P</b>
DIMENSIONS	36 x 36 x 75 1/8 int., 39 x 38 3/4 x 77 1/8 ext.
MATERIAL & FINISH	ACRYLX™, SMOOTH
# OF PIECES	2
ACCESSIBLE	
BASE	PRE-LEVELED

MODEL (Variations)	<b>3636BFSMA</b>
DIMENSIONS	36 x 36 x 80 7/16 int., 41 x 37 x 83 3/4 ext.
MATERIAL & FINISH	CAST ACRYLIC, SMOOTH
# OF PIECES	1
COMPLIANCE*	ADA, ANSI, 521 CMR, FHA, TAS
BASE	STANDARD

MODEL (Variations)	<b>1363BFRF</b>
DIMENSIONS	36 x 36 x 75 int., 43 1/2 x 38 x 77 ext.
MATERIAL & FINISH	ACRYLX™, SMOOTH
# OF PIECES	1
COMPLIANCE*	ADA, ANSI, FHA, TAS, 521 CMR
BASE	PRE-LEVELED

**1363BFSC**36 x 36 x 75 int.,  
38 x 38 1/4 x 77 ext.

ACRYLX™, SMOOTH

1

PRE-LEVELED

**1363BFSCST**36 x 36 x 75 int.,  
38 x 38 1/4 x 77 ext.

ACRYLX™, SMOOTH TILE

1

PRE-LEVELED

**1363BFSD (MA)**36 x 36 x 75 3/4 int.,  
42 1/2 x 38 1/4 x 77 ext.

ACRYLX™, SMOOTH

1

ADA, ANSI, FHA, TAS, 521 CMR

PRE-LEVELED


**F1364P**36 x 36 x 76 int.,  
39 3/4 x 39 x 78 1/2 ext.

ACRYLX™, DIAGONAL TILE

4

PRE-LEVELED

This model features an outward facing nailing flange.

**3636BFSC (MA)**36 x 36 x 80 7/16 int.,  
41 x 37 x 83 1/2 ext.

CAST ACRYLIC, SMOOTH

1

ADA, ANSI, 521 CMR, FHA, TAS

STANDARD

**1363EN**36 x 36 x 75 5/8 int.,  
38 1/4 x 38 3/8 x 77 1/2 ext.

ACRYLX™, SMOOTH

1

STANDARD



1483TSC



# 42"-48" SHOWERS

These accessible shower products are ideal for active adult and residential applications or in commercial jobs where a minimum number of ADA units has been met.




## PRODUCT BENEFITS


- 1 CHOICE OF SURFACE MATERIALS**  
Available in premium cast acrylic and AcrylX™ applied acrylic finishes
- 2 SEAMLESS AND SECTIONAL OPTIONS**  
Available in one-, two- and four-piece configurations
- 3 LOW THRESHOLDS** From barrier-free to 3" accessible options
- 4 FACTORY-INSTALLED ACCESSORIES**  
Can be customized with an array of grab bar sizes and other accessories
- 5 SPACE-SAVING DESIGN** Allows for ample interior space when a smaller footprint is required

# DAM PROFILES


MODEL: 4836BFS




MODEL: 1483EN




MODEL: F1424P




MODEL: 1483TSTH, 1483TSCB




MODEL: 1483BFSD



MODEL: 14836ST



MODEL: 14836BFLP



- Flooring material
- Wood reinforcement
- Pre-leveled base
- Foundation material

# 42"-48" SHOWER SPECIFICATIONS

MODEL (Variations)

DIMENSIONS

MATERIAL & FINISH

# OF PIECES

COMPLIANCE\*

BASE



F1424P

42 x 48 x 76 1/2 int.,  
45 3/4 x 51 1/8 x 77 5/8 ext.

ACRYLX™, DIAGONAL TILE

4

TITLE 24

STANDARD

MODEL (Variations)

DIMENSIONS

MATERIAL & FINISH

# OF PIECES

COMPLIANCE\*

BASE



1483TSTH

46 x 34 1/4 x 73 int.,  
48 x 36 1/4 x 76 1/2 ext.

ACRYLX™, SMOOTH TILE

1

STANDARD

MODEL (Variations)


DIMENSIONS

MATERIAL & FINISH

# OF PIECES

COMPLIANCE\*

BASE



14836ST

48 x 36 x 77 int.,  
50 5/8 x 38 1/2 x 79 ext.

ACRYLX™, SMOOTH TILE

1

ANSI (TYPE B)

STANDARD



**1483EN**

45 1/2 x 36 1/4 x 76 int.,  
48 x 38 3/4 x 77 1/4 ext.

ACRYLX™, SMOOTH

1

STANDARD




**1483TSC**

46 x 33 x 73 int.,  
48 x 35 x 76 1/2 ext.

ACRYLX™, SMOOTH

1

STANDARD



**4836BFS**

48 1/2 x 36 x 81 5/16 int.,  
53 x 37 x 84 ext.

CAST ACRYLIC, SMOOTH

1

STANDARD



**1483BFSD**

46 x 36 x 75 1/4 int.,  
48 x 38 1/4 x 77 1/4 ext.

ACRYLX™, SMOOTH

1

PRE-LEVELED BASE



**14836BFLP**


45 x 36 x 76 1/2 int.,  
48 3/8 x 39 1/4 x 78 3/8 ext.

ACRYLX™, SMOOTH

1

FHA

PRE-LEVELED BASE



# 60" SHOWERS

These larger showers are used in many commercial applications to accommodate walk-up, transfer or wheel-chair roll-in without difficulty. They are an ADA-compliant size when barrier-free and properly installed.




## PRODUCT BENEFITS


- 1 CHOICE OF SURFACE MATERIALS**  
Available in premium cast acrylic and AcrylX™ applied acrylic finishes
- 2 SEAMLESS AND SECTIONAL OPTIONS**  
Available in one-, two- and four-piece configurations
- 3 LOW THRESHOLDS** From barrier-free to 4" accessible options
- 4 FACTORY-INSTALLED ACCESSORIES**  
Can be pre-configured for ADA, ANSI or local code compliance, or customized with an array of grab bar sizes and other accessories
- 5 60" INTERIOR** Complies with ADA/ANSI guidelines for roll-in showers
- 6 PRE-LEVELED BASE** Available on select models to ensure easy and level installation

# DAM PROFILES


MODEL: 1623BFSTD, 1623BFSTDMA, 1603BFSD, 1603BFSDMA, 1603BFSDCN, 1603BFSTD



MODEL: 1623BFSTTX, 1603BFST, 1603BFSC, 1603BFSTMA, 1603BFSTTX, 1603BFSTCN




MODEL: 6030CFS, 1603CFS, 6036CFS



MODEL: 6030BFSC, 6030BFSCMA, 6036BFSC, 6036BFSCMA




MODEL: 16030BFSC



MODEL: 1603TSCB



MODEL: 16034BFSC



- Flooring material
- Wood reinforcement
- Pre-leveled base
- Foundation material

# 60" SHOWER SPECIFICATIONS

MODEL VARIATIONS: (MA) - 521 CMR (TX) - Texas Accessibility Standards

MODEL (Variations)	1603TSCB
DIMENSIONS	58 x 33 x 76 1/4 int., 60 x 35 x 78 ext.
MATERIAL & FINISH	ACRYLX™, SMOOTH
# OF PIECES	1
COMPLIANCE*	
BASE	STANDARD



MODEL (Variations)	16030BFSC
DIMENSIONS	60 x 30 1/4 x 77 1/2 int., 62 3/8 x 32 3/4 x 78 1/2 ext.
MATERIAL & FINISH	ACRYLX™, SMOOTH
# OF PIECES	1
COMPLIANCE*	ADA, ANSI, FHA, TAS
BASE	PRE-LEVELLED BASE



MODEL (Variations)	16034BFSC
DIMENSIONS	60 x 34 x 76 int., 62 x 36 3/4 x 76 1/4 ext.
MATERIAL & FINISH	ACRYLX™, SMOOTH
# OF PIECES	1
COMPLIANCE*	ADA, ANSI, FHA, TAS
BASE	PRE-LEVELLED BASE



MODEL (Variations)	1603BFSC
DIMENSIONS	60 x 34 x 75 5/8 int., 62 x 36 1/4 x 77 1/4 ext.
MATERIAL & FINISH	ACRYLX™, SMOOTH
# OF PIECES	1
COMPLIANCE*	ADA, ANSI, FHA, TAS
BASE	PRE-LEVELLED BASE





1623BFSTD (MA)

60 x 30 x 75 1/4 int.,  
62 x 32 1/4 x 76 7/8 ext.

ACRYLX™, SMOOTH TILE

1

ADA, ANSI, 521 CMR, FHA

PRE-LEVELLED BASE



1623BFSTX

60 x 30 x 74 7/8 int.,  
62 x 32 1/4 x 76 7/8 ext.

ACRYLX™, SMOOTH TILE

1

TAS, FHA

PRE-LEVELLED BASE



6030BFSC (MA)

60 x 30 x 78 7/8 int.,  
65 x 31 x 83 1/2 ext.

ACRYLX™, SMOOTH

1

ADA, ANSI, 521 CMR, FHA,  
TAS

STANDARD



6030CFS

60 x 30 x 78 7/8 int.,  
65 x 31 x 83 3/4 ext.

CAST ACRYLIC, SMOOTH

1

ADA, ANSI, FHA, TAS

STANDARD



1603CFS

60 x 34 x 74 5/16 int.,  
62 x 36 1/4 x 77 5/16 ext.

ACRYLX™, SMOOTH

1

ADA, ANSI, FHA, TAS

PRE-LEVELLED BASE



1603BFSD (MA) (CN) (CA)

60 x 34 x 75 5/8 int.,  
62 x 36 1/4 x 77 1/4 ext.

ACRYLX™, SMOOTH


1

ADA, ANSI, 521 CMR,  
CSA, FHA, TAS, Title 24


PRE-LEVELLED BASE

# DAM PROFILES


MODEL: 1623BFSTD, 1623BFSTDMA, 1603BFSD, 1603BFSDMA, 1603BFSDCN, 1603BFSTD




MODEL: F1604P, F1604PCN




MODEL: 1623BFSTTX, 1603BFST, 1603BFSC, 1603BFSTMA, 1603BFSTTX, 1603BFSTCN




MODEL: 6030CFS, 1603CFS, 6036CFS



MODEL: 6030BFSC, 6030BFSCMA, 6036BFSC, 6036BFSCMA







MODEL: 1603BFSB, 1603BFSBMA, 16334BFNR



MODEL: 16037BFSD




-  Flooring material
-  Wood reinforcement
-  Pre-leveled base
-  Foundation material

# 60" SHOWER SPECIFICATIONS

MODEL VARIATIONS: (MA) - 521 CMR (TX) - Texas Accessibility Standards

MODEL (Variations)

DIMENSIONS
MATERIAL & FINISH
# OF PIECES
COMPLIANCE*
BASE



1603BFBSB (MA) (CA)

DIMENSIONS	60 x 34 x 75 5/8 int., 62 x 36 1/4 x 77 1/4 ext.
MATERIAL & FINISH	ACRYLX™, SMOOTH
# OF PIECES	1
COMPLIANCE*	ADA, ANSI, 521 CMR, FHA, TAS, Title 24
BASE	PRE-LEVELED BASE

MODEL (Variations)

DIMENSIONS
MATERIAL & FINISH
# OF PIECES
COMPLIANCE*
BASE



F1604P (CN)

DIMENSIONS	60 x 34 x 75 1/2 int., 63 3/4 x 37 1/8 x 78 1/4 ext.
MATERIAL & FINISH	ACRYLX™, DIAGONAL TILE
# OF PIECES	4
COMPLIANCE*	ADA, ANSI, CSA, FHA, TAS,
BASE	PRE-LEVELED BASE

MODEL (Variations)

DIMENSIONS
MATERIAL & FINISH
# OF PIECES
COMPLIANCE*
BASE



6036CFS

DIMENSIONS	60 x 36 x 79 int., 65 x 37 x 83 1/2 ext.
MATERIAL & FINISH	CAST ACRYLIC, SMOOTH
# OF PIECES	1
COMPLIANCE*	ADA, ANSI, FHA, TAS
BASE	STANDARD





**1603BFST (MA) (CN) (CA)**

60 x 34 x 74 <sup>7</sup>/<sub>8</sub> int.,  
62 x 36 <sup>1</sup>/<sub>4</sub> x 76 <sup>7</sup>/<sub>8</sub> ext.

ACRYLX™, SMOOTH TILE

1

ADA, ANSI, 521 CMR,  
TAS, CSA, FHA, Title 24

PRE-LEVELED BASE



**1603BFSTD**

60 x 34 x 75 <sup>5</sup>/<sub>8</sub> int.  
62 x 36 <sup>1</sup>/<sub>4</sub> x 77 <sup>1</sup>/<sub>4</sub> ext.

ACRYLX™, SMOOTH TILE

1

ADA, ANSI, TAS, FHA,

PRE-LEVELED BASE



**16037BFSD**

60 x 36 <sup>5</sup>/<sub>8</sub> x 77 int.,  
62 x 39 <sup>3</sup>/<sub>8</sub> x 78 <sup>3</sup>/<sub>4</sub> ext.

ACRYLX™, SMOOTH

1

ADA, ANSI, TAS

PRE-LEVELED BASE



**6036BFSC (MA)**

60 x 36 x 79 int.,  
65 x 37 x 83 <sup>1</sup>/<sub>2</sub> ext.

CAST ACRYLIC, SMOOTH

1

ADA, ANSI, 521  
CMR, FHA, TAS

STANDARD



**16334BFNR**

60 x 31 <sup>1</sup>/<sub>4</sub> x 76 <sup>5</sup>/<sub>8</sub> int.,  
63 x 34 x 78 <sup>1</sup>/<sub>8</sub> ext.

ACRYLX™, SMOOTH

1

ADA, CSA, FHA

PRE-LEVELED BASE



# TUB SHOWERS

These multi-use products are designed to give users peace of mind when walking up or transferring from a wheelchair. Most are an accepted size for ADA compliance when properly equipped, and can be used in a variety of commercial and residential applications.



## PRODUCT BENEFITS

### 1 CHOICE OF SURFACE MATERIALS

Available in premium cast acrylic and AcrylX™ applied acrylic finishes

### 2 FACTORY-INSTALLED ACCESSORIES

Can be pre-configured for ADA/ANSI or local code compliance, or customized with an array of grab bar sizes and other accessories

### 3 ADA/ANSI COMPLIANT



Products meet guidelines when properly equipped\*



*\*Most models*

# TUB SHOWER SPECIFICATIONS

MODEL VARIATIONS: (MA) - 521 CMR (TX) - Texas Accessibility Standards (CN) - Canada Standards Association

MODEL (Variations)		F6032STT		2603CTH
DIMENSIONS		56 x 30 x 78 <sup>3</sup> / <sub>8</sub> int., 60 x 33 <sup>1</sup> / <sub>4</sub> x 81 <sup>1</sup> / <sub>4</sub> ext.		56 x 30 <sup>1</sup> / <sub>4</sub> x 71 int., 60 x 33 <sup>1</sup> / <sub>4</sub> x 74 <sup>1</sup> / <sub>4</sub> ext.
MATERIAL & FINISH		ACRYLX™, SUBWAY TILE		ACRYLX™, SMOOTH TILE
# OF PIECES		1		1
COMPLIANCE*		ADA, ANSI, TAS		ADA, ANSI, TAS, FHA, TITLE 24
BASE		STANDARD		STANDARD

MODEL (Variations)		2603SMTE (MA) (CN)		2603SMTH
DIMENSIONS		56 x 30 <sup>1</sup> / <sub>4</sub> x 74 <sup>3</sup> / <sub>8</sub> int., 60 x 33 <sup>1</sup> / <sub>4</sub> x 79 <sup>1</sup> / <sub>4</sub> ext.		56 x 30 <sup>1</sup> / <sub>4</sub> x 76 <sup>3</sup> / <sub>8</sub> int., 60 x 33 <sup>1</sup> / <sub>4</sub> x 81 <sup>1</sup> / <sub>4</sub> ext.
MATERIAL & FINISH		ACRYLX™, SMOOTH		ACRYLX™, SMOOTH
# OF PIECES		1		1
COMPLIANCE*		ADA, ANSI, 521 CMR, CSA, TAS, FHA, TITLE 24		
BASE		STANDARD		STANDARD

MODEL (Variations)		F6030STT		6032ITS
DIMENSIONS		57 x 28 <sup>1</sup> / <sub>2</sub> x 74 int., 60 x 31 <sup>1</sup> / <sub>4</sub> x 75 <sup>1</sup> / <sub>4</sub> ext.		60 x 32 x 80 <sup>1</sup> / <sub>2</sub> int., 65 x 33 x 84 ext.
MATERIAL & FINISH		ACRYLX™, SUBWAY TILE		CAST ACRYLIC, SMOOTH
# OF PIECES		1		1
COMPLIANCE*		ADA, ANSI, TAS		ADA, ANSI, FHA, TAS, TITLE 24
BASE		STANDARD		STANDARD


# SHOWER BASE SPECIFICATIONS

MODEL		F3636DPAN
DIMENSIONS		36 x 36 x 3 3/8 int., 38 x 38 1/4 x 5 ext.
MATERIAL		ACRYLX™

MODEL		F3838PAN
DIMENSIONS		36 x 36 x 2 3/4 int., 38 x 38 x 4 3/4 ext.
MATERIAL		ACRYLX™

MODEL		F5038PAN
DIMENSIONS		48 x 37 x 2 3/4 int., 50 x 38 x 4 3/4 ext.
MATERIAL		ACRYLX™


MODEL		F6032APAN
DIMENSIONS		60 x 30 x 5 1/8 int., 62 x 32 x 5 1/8 ext.
MATERIAL		CAST ACRYLIC

MODEL		F6034DPAN
DIMENSIONS		60 x 34 x 3 3/8 int., 62 x 36 1/4 x 5 ext.
MATERIAL		ACRYLX™

MODEL		F6038PAN
DIMENSIONS		58 x 37 x 2 3/4 int., 60 x 38 x 4 3/4 ext.
MATERIAL		ACRYLX™



# DAM PROFILES

MODEL: F3636DPAN, F6032APAN, F3034DPAN



MODEL: F3838PAN, F5038PAN, F6038PAN



-  Flooring material
-  Wood reinforcement
-  Pre-leveled base

\*Always verify compliance with local code authorities and/or inspector prior to selecting product.



# EVERYDAY EASE



*Models include:  
136364PC,  
148344PSC,  
160344PS,  
160304PS*

## SECTIONAL SHOWERS WITH LOW-PROFILE ENTRY

Along with code-compliant bath products, we offer a variety of everyday showers and tub-shower combinations with universal design features built in. Case in point: Our four-piece sectional showers are equipped with reduced thresholds and integral seats that enhance access and usability.



*Models include:  
6032APAN  
6030SPAN*

## SEATED TUB-HEIGHT SHOWER BASES

When the family bathtub becomes more hazardous than helpful, our everyday seated shower bases are a smart replacement. With tub-height walls, reduced thresholds, integral seats and end drains, our models are perfectly configured to transform a potentially unsafe bath area into a comfortable and welcoming oasis.

# ACCESSIBLE ACCESSORIES



HANDHELD SHOWER



VINYL FLEXIBLE DAM



COLOR UPGRADE




DOME LIGHT



SOAP HOLDERS



PRESSURE-BALANCING MIXING VALVE



OPTIONAL THRESHOLD



CURTAIN & ROD



COMPRESSED-FIT BRASS DRAIN

## GRAB BARS

---



Standard



Designer (Optional)

STRAIGHT



HORIZONTAL L-SHAPED



# ACCESSIBLE ACCESSORIES

## SEATS

---



### TRI-FOLD REMOVABLE

Available in white.



### FOLD-UP

Available in phenolic white or phenolic teak.



### L-SHAPED

Available in cushioned and phenolic white or phenolic teak.



### RECTANGULAR

Available in cushioned and phenolic white or phenolic teak.

## COLOR PALETTE

### STANDARD



White

### UPGRADED



\*Almond



Biscuit



\*Bone

Please use this color chart as a preliminary reference only. Contact your local Aquatic distributor to view an actual color sample.


\*Available on AcrylX™ models only.

# ACCESSIBLE OPTIONS



## PERFECT FINISHES

Our bath products offer several wall finish options for unique customization. Tile-pattern and smooth wall finishes will create the perfect look. Options include: Smooth Wall, Smooth Tile, Subway Tile and Diagonal Tile.



## REINFORCEMENT

All accessible products are pre-configured with required reinforcement for future installation of grab bars, seats and other accessories. We also offer an option to upgrade to full-wall reinforcement on all three walls.



## CHOICE OF SURFACE MATERIALS

Aquatic code-compliant bath products are available in two high-quality materials to suit the needs of almost any application. Our premium cast acrylic products are specially formulated for exceptional durability and luster. We also offer a wide selection of AcrylX™ applied acrylic products that are easy to clean and maintain.



## SEAMLESS AND SECTIONAL OPTIONS

If you're looking for a seamless appearance that's attractive and durable, our one-piece designs are an ideal choice. For remodeling projects, or applications where space is limited, we also offer code-compliant models in two- and four-piece configurations.

## ACCESSIBILITY STANDARDS/CODE COMPLIANCE

The following standards provide technical design criteria/guidelines for accessibility for a tub or shower. Not all standards apply to every Aquatic accessible bath fixture. See model description for specific code compliance.

- **ADA** – Americans with Disabilities Act (Accessibility Guidelines, September 2010)
- **ANSI** – American National Standards Institute (A117.1-2009: Accessible and Usable Buildings and Facilities)
- **521 CMR** – Code of Massachusetts Regulations
- **TAS** – Texas Accessibility Standards, March 2012
- **FHA** – Fair Housing Act (FHA Design Manual)
- **TITLE 24** – California Building Standards Code (California Code of Regulations, Title 24)





**AQUATIC**

The bath people

Customer Service

800-945-2726

[www.aquaticbath.com](http://www.aquaticbath.com)